

References

Al-Baradie, R., Yamada, K., St Hilaire, C., Chan, W.M., Andrews, C., McIntosh, N., Nakano, M., Martonyi, E.J., Raymond, W.R., Okumura, S., *et al.* (2002). Duane radial ray syndrome (Okhiro syndrome) maps to 20q13 and results from mutations in SALL4, a new member of the SAL family. *American journal of human genetics* 71, 1195-1199.

Appukuttan, B., Gillanders, E., Juo, S.H., Freas-Lutz, D., Ott, S., Sood, R., Van Auken, A., Bailey-Wilson, J., Wang, X., Patel, R.J., *et al.* (1999). Localization of a gene for Duane retraction syndrome to chromosome 2q31. *American journal of human genetics* 65, 1639-1646.

Bosley, T.M., Alorainy, I.A., Salih, M.A., Aldhalaan, H.M., Abu-Amero, K.K., Oystreck, D.T., Tischfield, M.A., Engle, E.C., and Erickson, R.P. (2008). The clinical spectrum of homozygous HOXA1 mutations. *American journal of medical genetics* 146, 1235-1240.

Bosley, T.M., Oystreck, D.T., Robertson, R.L., al Awad, A., Abu-Amero, K., and Engle, E.C. (2006). Neurological features of congenital fibrosis of the extraocular muscles type 2 with mutations in PHOX2A. *Brain* 129, 2363-2374.

Bosley, T.M., Salih, M.A., Alorainy, I.A., Oystreck, D.T., Nester, M., Abu-Amero, K.K., Tischfield, M.A., and Engle, E.C. (2007). Clinical characterization of the HOXA1 syndrome BSAS variant. *Neurology* 69, 1245-1253.

Bosley, T.M., Salih, M.A., Jen, J.C., Lin, D.D., Oystreck, D., Abu-Amero, K.K., MacDonald, D.B., al Zayed, Z., al Dhalaan, H., Kansu, T., *et al.* (2005). Neurologic features of horizontal gaze palsy and progressive scoliosis with mutations in ROBO3. *Neurology* 64, 1196-1203.

Demer, J.L., Clark, R.A., and Engle, E.C. (2005). Magnetic resonance imaging evidence for widespread orbital dysinnervation in congenital fibrosis of extraocular muscles due to mutations in KIF21A. *Investigative ophthalmology & visual science* 46, 530-539.

Doherty, E.J., Macy, M.E., Wang, S.M., Dykeman, C.P., Melanson, M.T., and Engle, E.C. (1999). CFEOM3: a new extraocular congenital fibrosis syndrome that maps to 16q24.2-q24.3. *Investigative ophthalmology & visual science* 40, 1687-1694.

Engle, E.C., McIntosh, N., Yamada, K., Lee, B.A., Johnson, R., O'Keefe, M., Letson, R., London, A., Ballard, E., Ruttum, M., *et al.* (2002). CFEOM1, the classic familial form of congenital fibrosis of the extraocular muscles, is genetically heterogeneous but does not result from mutations in ARIX. *BMC Genet* 3, 3.

Gutowski, N.J., Bosley, T.M., and Engle, E.C. (2003). 110th ENMC International Workshop: the congenital cranial dysinnervation disorders (CCDDs). Naarden, The Netherlands, 25-27 October, 2002. *Neuromuscul Disord* 13, 573-578.

Holve, S., Friedman, B., Hoyme, H.E., Tarby, T.J., Johnstone, S.J., Erickson, R.P., Clericuzio, C.L., and Cunniff, C. (2003). Athabaskan brainstem dysgenesis syndrome. *American journal of medical genetics* 120, 169-173.

Jen, J., Coulin, C.J., Bosley, T.M., Salih, M.A., Sabatti, C., Nelson, S.F., and Baloh, R.W. (2002). Familial horizontal gaze palsy with progressive scoliosis maps to chromosome 11q23-25. *Neurology* 59, 432-435.

Jen, J.C., Chan, W.M., Bosley, T.M., Wan, J., Carr, J.R., Rub, U., Shattuck, D., Salamon, G., Kudo, L.C., Ou, J., *et al.* (2004). Mutations in a human ROBO gene disrupt hindbrain axon pathway crossing and morphogenesis. *Science (New York, NY)* 304, 1509-1513.

Miyake, N., Chilton, J., Psatha, M., Cheng, L., Andrews, C., Chan, W.M., Law, K., Crosier, M., Lindsay, S., Cheung, M., *et al.* (2008). Human CHN1 mutations hyperactivate alpha2-chimaerin and cause Duane's retraction syndrome. *Science (New York, NY)* 321, 839-843.

Nakano, M., Yamada, K., Fain, J., Sener, E.C., Selleck, C.J., Awad, A.H., Zwaan, J., Mullaney, P.B., Bosley, T.M., and Engle, E.C. (2001). Homozygous mutations in ARIX(PHOX2A) result in congenital fibrosis of the extraocular muscles type 2. *Nature genetics* 29, 315-320.

Tischfield, M.A., Bosley, T.M., Salih, M.A., Alorainy, I.A., Sener, E.C., Nester, M.J., Oystreck, D.T., Chan, W.M., Andrews, C., Erickson, R.P., *et al.* (2005). Homozygous HOXA1 mutations disrupt human brainstem, inner ear, cardiovascular and cognitive development. *Nature genetics* 37, 1035-1037.

Yamada, K., Andrews, C., Chan, W.M., McKeown, C.A., Magli, A., de Berardinis, T., Loewenstein, A., Lazar, M., O'Keefe, M., Letson, R., *et al.* (2003). Heterozygous mutations of the kinesin KIF21A in congenital fibrosis of the extraocular muscles type 1 (CFEOM1). *Nature genetics* 35, 318-321.