

BIBLIOGRAPHY

1. White, H.S. and Isom, G.E. Central effects of N6, 2'-dibutyryl adenosine 3',5'-cyclic monophosphate on blood pressure. *Proc. West. Pharmacol. Soc.* 21:253-256, 1978.
2. White, H.S., Driver, P.S. and Isom, G.E. Studies on the central pressor activity of dibutyryl cAMP. *Eur. J. Pharmacol.* 57:107-113, 1979.
3. White, H.S. and Isom, G.E. Localization of the central cardiovascular action of dibutyryl cyclic AMP. *Proc. West. Pharmacol. Soc.* 23:33-35, 1980.
4. Johnson, J.D., White, H.S. and Isom, G.E. Local application of cyclic AMP in rat brain: Characterization of the cardiovascular response. *Eur. J. Pharmacol.* 91:343-351, 1983.
5. Woodbury, D.M., Engstrom, F.L., White, H.S., Chen, C.F., Kemp, J.W. and Chow, S.Y. Ionic and acid-base regulation of neurons and glia during seizures. *Ann. Neurol.* 16:S135-144, 1984.
6. White, H.S., Chen, C.F., Kemp, J.W. and Woodbury, D.M. Effects of acute and chronic phenytoin on the electrolyte content and the activities of Na⁺-, K⁺-, Ca⁺⁺-, Mg⁺⁺-, HCO₃⁻ - ATPase and carbonic anhydrase of neonatal and adult rat cerebral cortex. *Epilepsia* 26:43-57, 1985.
7. White, H.S., Yen-Chow, Y.C., Chow, S.Y., Kemp, J.W. and Woodbury, D.M. Effects of phenytoin on primary glial cell cultures. *Epilepsia* 26:58-68, 1985.
8. Chow, S.Y., Yen-Chow, Y.C., White, H.S. and Woodbury, D.M. Effects of sodium on iodide transport in primary cultures of turtle thyroid cells. *Am. J. Physiology: Endocrinology and Metabolism* 250:464-469, 1986.
9. Engstrom, F.L., White, H.S., Kemp, J.W. and Woodbury, D.M. Acute and chronic acetazolamide administration in DBA and C57 mice: Effects of age. *Epilepsia* 27:19-26, 1986.
10. Chow, S.Y., Yen-Chow, Y.C., White, H.S. and Woodbury, D.M. Effects of 4,4'-diisothiocyano-2,2'-stilbene disulfonate on iodide uptake by primary cultures of turtle thyroid follicular cells. *J. Endocrinology* 113:403-412, 1987.
11. White, H.S., Bender, A.S. and Swinyard, E.A. Effect of the selective N-methyl-D-aspartate receptor antagonist 3-(2-carboxypiperazin-4-yl)propyl-1-phosphonic acid on [³H]flunitrazepam binding. *Eur. J. Pharmacol.* 147:149-151, 1988.
12. Swinyard, E.A., White, H.S. and Wolf, H.H. Mechanisms of anticonvulsant drugs. *ISI Atlas of Science: Pharmacology* 2:95-98, 1988.
13. Hertz, L., Bender, A.S., Woodbury, D.M. and White, H.S. Potassium-stimulated calcium uptake in astrocytes and its potent inhibition by nimodipine. *J. Neurosci. Res.* 22:209-215, 1989.
14. Bender, A.S., Woodbury, D.M. and White, H.S. β-Methylene-DL-aspartate, an inhibitor of aspartate aminotransferase, potently inhibits L-glutamate uptake into astrocytes. *Neurosci. Res.* 14:641-646, 1989.
15. Chow, S.Y., White, H.S., Yen-Chow, Y.C. and Woodbury, D.M. Uptakes of iodide and chloride by primary cultures of mouse astrocytes and neurons. *Neurochem. Res.* 14:963-969, 1989.
16. Baron, B.M., Harrison, B.L., Miller, F.P., McDonald, I.A., Salituro, F.G., Schmidt, C.J., Sorensen, S.M., White, H.S. and Palfreyman, M.G. Activity of 5,7-dichlorokynurenic acid, a potent antagonist at the NMDA receptor-associated glycine binding site. *Mol. Pharmacol.* 38:454-461, 1990.

17. Whitten, J.P., Baron, B.M., Muench, D., Miller, F.P., White, H.S. and McDonald, I.A. (R)-4-Oxo-5-phosphononorvaline: A new competitive glutamate antagonist at the NMDA receptor complex. *J. Med. Chem.* 33:2961-2963, 1990.
18. Stagnitto, M.L., Palmer, G.C., Ordy, J.M., Griffith, R.C., Napier, J.S., Becker, C.W., Gentile, R.J., Garske, G.E., Frankenheim, J.M., Woodhead, J.H., White, H.S. and Swinyard, E.A. Preclinical profile of remacemide: A novel anticonvulsant effective against maximal electroshock seizures in mice. *Epilepsy Res.* 7:11-28, 1990.
19. Palmer, G.C., Stagnitto, M.L., Ordy, J.M., Griffith, R.C., Napier, J.J., Gentile, R.J., Woodhead, J.H., White, H.S. and Swinyard, E.A. Preclinical profile of stereoisomers of the anticonvulsant remacemide in mice. *Epilepsy Res.* 8:36-48, 1991.
20. Johnson, D.N., White, H.S., Swinyard, E.A., Albertson, T.E. and Kilpatrick, B.F. AHR-12245: A potential anti-absence drug. *Epilepsy Res.* 8:64-70, 1991.
21. Garske, G.E., Palmer, G.C., Napier, J.J., Griffith, R.C., Freedman, L.R., Harris, E.W., Ray, R., McCreedy, S.A., Blosser, J.C., Woodhead, J.H., White, H.S. and Swinyard, E.A. Preclinical profile of anticonvulsant remacemide and its enantiomers in the rat. *Epilepsy Res.* 9:161-174, 1991.
22. Chow, S.Y., Yen-Chow, Y.C., White, H.S., Hertz, L. and Woodbury, D.M. Effects of potassium on anion and cation contents of primary cultures of mouse astrocytes and neurons. *Neurochem. Res.* 16:1275-1283, 1991.
23. Swinyard, E.A., White, H.S., Wolf, H.H. and Bondinell, W.E. Anticonvulsant profiles of the potent and orally active GABA uptake inhibitors SK&F 89976-A and SK&F 100330-A and four prototype antiepileptic drugs in mice and rats. *Epilepsia* 32:569-577, 1991.
24. Chow, S.Y., Yen-Chow, Y.C., White, H.S. and Woodbury, D.M. pH regulation after acid load in primary cultures of mouse astrocytes. *Dev. Brain Res.* 60:69-78, 1991.
25. Code, W.E., White, H.S. and Hertz, L. The effect of midazolam on calcium signaling in astrocytes. *Ann. N.Y. Acad. Sci.* 625:430-432, 1991.
26. White, H.S., Wolf, H.H., Swinyard, E.A., Skeen, G.A. and Sofia, R.D. A neuropharmacological evaluation of felbamate as a novel anticonvulsant. *Epilepsia* 33:564-572, 1992.
27. Salituro, F.G., Harrison, B.L., Baron, B.M., Nyce, P.L., Stewart, K.T., Kehne, J.H., White, H.S. and McDonald, I.A. 3-(2-Carboxyindol-3-yl)propionic acid-based antagonists of the N-methyl-D-aspartic acid receptor associated glycine binding site. *J. Med. Chem.* 35:1791-1799, 1992.
28. White, H.S., Patel, S. and Meldrum, B.S. Anticonvulsant profile of MDL 27,266, an orally active, broad spectrum anticonvulsant agent. *Epilepsy Res.* 12:217-226, 1992.
29. Baron, B., Harrison, B.L., McDonald, I.A., Meldrum, B.S., Palfreyman, M.G., Salituro, F.G., Siegel, B.W., Slone, A.L., Turner, J.P. and White, H.S. Potent Indole- and quinoline-containing NMDA antagonists acting at the strychnine-insensitive glycine binding site. *J. Pharmacol. Exp. Ther.* 262:947-956, 1992.
30. Swinyard, E.A., Wolf, H.H., White, H.S., Skeen, G.A., Stark, L.G., Albertson, T., Pong, S.F. and Drust, E.G. Characterization of the anticonvulsant properties of F-721. *Epilepsy Res.* 15:35-45, 1993.
31. White, H.S., Chow, S.Y., Yen-Chow, Y.C. and Woodbury, D.M. Effect of elevated potassium on the ion content of mouse astrocytes and neurons. *Can. J. Physiol. Pharmacol.* 70:S263-S268, 1993.
32. White, H.S., Hunt, J., Wolf, H.H., Swinyard, E.A., Falch, E., Krogsgaard-Larsen, P. and Schousboe, A. Anticonvulsant activity of the γ -aminobutyric acid uptake inhibitor N-

- 4,4-diphenyl-3-butenyl-4,5,6,7-tetrahydroisoxazolo[4,5-c]pyridin-3-ol. *Eur. J. Pharmacol.* 236:147-149, 1993.
33. Skeen, G.A., Twyman, R.E. and White, H.S. The dihydropyridine nitrendipine modulates N-methyl-D-aspartate receptor channel function in mammalian neurons. *Molecular Pharmacology* 44:443-450, 1993.
 34. Bender, A.S., Woodbury, D.M. and White, H.S. Ionic dependence of adenosine uptake into cultured astrocytes. *Brain Res.* 661:1-8, 1994.
 35. Skeen, G.A., White, H.S. and Twyman, R.E. The dihydropyridine nitrendipine reduces N-methyl-D-aspartate (NMDA)-evoked currents of rodent cortical neurons through a direct interaction with the NMDA receptor-associated ion channel. *J. Pharmacol. Exp. Ther.* 271:30-38, 1994.
 36. Filloux, F.M., Fitts, R.C., Skeen, G.A. and White, H.S. The dihydropyridine nitrendipine inhibits [³H]MK 801 binding to mouse brain sections. *Eur. J. Pharmacol.* 269:325-330, 1994.
 37. White, H.S., Harmsworth, W.L., Sofia, R.D., and Wolf, H.H. Felbamate modulates the strychnine-insensitive glycine receptor. *Epilepsy Res.* 20:41-48, 1995.
 38. White, H.S., Johnson M., Wolf, H.H. and Kupferberg, H.J. The early identification of anticonvulsant activity: Role of the maximal electroshock and subcutaneous pentylenetetrazol seizure models. *Ital. J. Neurol. Sci.* 16:73-77, 1995.
 39. Palmer, G.C., Stagnitto, M.L., Garske, G.C., Napier, J.J., Harris, E.W., Kaiser, F.C., Griffith, R.C., Woodhead, J.H., White, H.S., Wolf, H.H., and Swinyard, E.A. Anticonvulsant efficacy/safety properties of 2-amino-N-(1,2-diphenylethyl)acetamide hydrochloride. *J. Pharmacol. Exp. Ther.* 273:1023-1031, 1995.
 40. Kehne, J.H., Baron, B.M., Harrison, B.L., McCloskey, T.C., Palfreyman, M.G., Poirot, M., Salituro, F.G., Siegel, B.W., Slone, A.L., van Giersbergen, P.L.M. and White, H.S. MDL 100,458 and MDL 102,288: Two potent and selective glycine antagonists with different functional profiles. *Eur. J. Pharmacol.* 284:109-118, 1995.
 41. Rostock, A., Tober, C., Rundfeldt, C., Bartsch, R. Engel, J., Polymeropoulos, E.E., Kutscher, B., Loscher, W., Honack, D., White, H.S. and Wolf, H.H. D-2319: A new anticonvulsant with a broad spectrum activity in animal models of epileptic seizures. *Epilepsy Res.* 23(3), 211-223, 1996.
 42. Carter, R.B., Wood, P.L., Wieland, S., Hawkinson, J.E., Belevi, D., Lambert, J.J., Mirsadeghi, S., Tahir, H., Bolger, M.B., Lan, N.C., White, H.S., Wolf, H.H., and Gee, K.W. Characterization of the anticonvulsant properties of ganaxolone (CCD 1042; 3 α -hydroxy-3 β -methyl-5 α -pregnan-20-one), a selective high-affinity neurosteroid modulator of the GABA_A receptor. *JPET* 280:1284-1295, 1997.
 43. Gahring, L.C., White, H.S., Skradski, S.L., Carlson, N.G. and Rogers, S.W. Interleukin-1 α in the brain is induced by audiogenic seizure. *Neurobiol. Disease* 3(4):263-269, 1997.
 44. White, H.S. Clinical significance of animal seizure models and mechanism of action studies of potential antiepileptic drugs. *Epilepsia*, 38 (Suppl. 1):S9-S17, 1997.
 45. Baron, B.M., Harrison, B.L., Kehne, J.H., Schmidt, C.J., van Giersbergen, P.L.M., White, H.S., Siegel, B.W., Senyah, Y., McCloskey, T.C., Fadaye, G.M., Taylor, V.L., Murawsky, M.K., Nyce, P. and Salituro, F.G. Pharmacological characterization of MDL 105,519, an NMDA receptor glycine site antagonist. *European J. Pharmacol.* 323:181-192, 1997.

46. Carson, J.R., Carmosin, R.J., Pitis, P.M., Vaught, J.L., Almond, H.R., Stables, J.P., Wolf, H.H., Swinyard, E.A. and White, H.S. Aroyl(aminoacyl)pyrroles, a new class of anticonvulsant agents. *J. Med. Chem.* 40:1578-1584, 1997.
47. Kehne, J.H., Kane, J.M., Chaney, S.F., Hurst, G., McCloskey, T.C., Petty, M.A., Senyah, Y., Wolf, H.H., Zobrist, R. and White, H.S. Preclinical characterization of MDL 27,192 as a potential broad spectrum anticonvulsant agent with neuroprotective properties. *Epilepsy Res.* 27(1):41-54, 1997.
48. Rostock, A., Tober, C., Rundfeldt, C., Bartsch, R., Unverferth, K., Engel, J., Wolf, H.H. and White, H.S. AWD 140-190: A new anticonvulsant with a very good margin of safety. *Epilepsy Res.* 28(1):17-28, 1997.
49. White, H.S., Brown, S.D., Woodhead, J.H., Skeen, G.A. and Wolf, H.H. Topiramate enhances GABA-mediated chloride flux and GABA-evoked chloride currents in murine brain neurons and increases seizure threshold. *Epilepsy Res.* 28:167-179, 1997.
50. Rogers, S.W., Gahring, L.C. and White, H.S. Glutamate receptor GLuR1 expression is altered selectively by chronic audiogenic seizures in the Frings mouse brain. *J. Neurobiol.* 35:209-216, 1998.
51. Skradski, S.L., White, H.S. and Ptacek, L.J. Genetic mapping of a locus (mass1) causing audiogenic seizures in mice. *Genomics* 49:188-192, 1998.
52. Fariello, R.G., McArthur, R.A., Bonsignori, A., Cervini, M.A., Maj, R., Marrari, P., Pevarello, P., Wolf, H.H., Woodhead, J.H., White, H.S., Varasi, M., Salvati, P. and Post, C. Preclinical evaluation of PNU-151774E as a novel anticonvulsant. *J. Pharmacol. Exp. Ther.* 285:397-403, 1998.
53. White, H.S., Woodhead, J.H., Wolf, H.H., Parikh, I., Clement, M. and Sofia, R.D. Microparticle™ felbamate blocks maximal electroshock following intravenous administration. *Res. Comm. Biological Psychol. and Psychiatry* 23(Nos. 1&2):1-7, 1998.
54. Salvati, P., Maj, R., Caccia, C., Cervini, M.A., Fornaretto, M.G., Lamberti, E., Pevarello, P., Skeen, G.A., White, H.S., Wolf, H.H., Faravelli, L., Mazzanti, M., Mancinelli, E., Varasi, M. and Fariello, R.G. Biochemical and electrophysiological studies on the mechanism of action of PNU-151774E, a novel antiepileptic compound. *J. Pharmacol. Exp. Ther.* 288(3):1151-1159, 1999.
55. White, H.S. Comparative anticonvulsant and mechanistic profile of the established and newer antiepileptic drugs. *Epilepsia* 40(suppl. 5):S2-S10, 1999.
56. Hanson, G.R., Jensen, M., Johnson, M. and White, H.S. Distinct features of seizures induced by cocaine and amphetamine analogs. *European J. Pharmacol.* 377(2-3):167-173, 1999.
57. Falch, E., Perregaard, J., Frolund, B., Sokilde, B., Burr, A., Hansen, L.M., Frydenvang, K., Brehm, L., Bolvig, T., Larsson, O.M., Sanchez, C., White, H.S., Schousboe, A. and Krogsgaard-Larsen, P. Selective inhibitors of glial GABA uptake: Synthesis, absolute stereochemistry and pharmacology of the enantiomers of 3-hydroxy-4-amino-4,5,6,7-tetrahydro-1,2-benzisoxazole (Exo-THPO) and analogues. *J. Med. Chem.* 42(26):5402-5414, 1999.
58. White, H.S., McCabe, R.T., Armstrong, H., Donevan, S., Cruz, L.J., Abogadie, F.C, Torres, J., Rivier, J.E., Paarman, I., Hollmann, M. and Olivera, B.M. *In vitro* and *in vivo* characterization of conantokin-R, a selective NMDA receptor antagonist isolated from the venom of the fish-hunting snail *Conus radiatus*. *J. Pharmacol. Exp. Ther.* 292:425-432, 2000.

59. Klein, B.D., White, H.S. and Callahan, K.S. Cytokine and intracellular signaling regulation of tissue factor expression in astrocytes. *Neurochemistry Int.* 36:441-449, 2000.
60. White, H.S., Brown, S.D., Woodhead, J.H., Skeen, G.A. and Wolf, H.H. Topiramate modulates GABA-evoked currents in murine cortical neurons by a nonbenzodiazepine mechanism. *Epilepsia*, 41(Suppl. 1):S17-S20, 2000.
61. Skradski, S. and White, H.S. Topiramate blocks kainate-evoked cobalt influx into cultured neurons. *Epilepsia*, 41(Suppl. 1):S45-S47, 2000.
62. Lian, H., Steiner, S.S., Sofia, R.D., Woodhead, J.H., Wolf, H.H., White, H.S., Shen, G.S., Rhodes, C.A. and McCabe, R.T. A self-complementary, self-assembling microsphere system: Application for intravenous delivery of the antiepileptic and neuroprotectant compound felbamate. *J. Pharm. Sci.*, 89(7):867-875, 2000.
63. Moe, S.T., Smith, D.L., DelMar, E.G., Shimizu, S.M., Van Wagenen, B.C., Balandrin, M.F., Chien, Y.E., Raszkiewicz, J.L., Artman, L.D., White, H.S. and Mueller, A.L. Chiral synthesis and pharmacological evaluation of NPS 1407: a potent, stereoselective NMDA receptor antagonist. *Bioor. Med. Chem. Lett.*, 10(21):2411-2415, 2000.
64. Frankel, W.N., Taylor, L., Beyer, B., Tempel, B.L., and White, H.S. Electroconvulsive thresholds of inbred mouse strains. *Genomics*, 74(3):306-312, 2001.
65. Isoherranen, N., Woodhead, J.H., White, H.S. and Bialer, M. Anticonvulsant profile of valprocemide (TV1901): a new antiepileptic drug. *Epilepsia*, 42(7):831-836, 2001.
66. Skradski, S.L., Clark, A.M., Jiang, H., White, H.S., Fu, Y-H., and Ptacek, L.J. A novel gene causing a Mendelian audiogenic mouse epilepsy. *Neuron*, 31:537-544, 2001.
67. Isoherranen, N., Woodhead, J.H., White, H.S. and Bialer, M. Anticonvulsant profile of valrocemide (TV1901): A new antiepileptic drug. *Epilepsia*, 42(7):831-836, 2001.
68. Barton, M.E., Klein, B.D., Wolf, H.H., and White, H.S. Pharmacological characterization of the 6 Hz psychomotor seizure model of partial epilepsy. *Epilepsy Res.*, 47:217-227, 2001.
69. Isoherranen, N., White, H.S., Finnell, R.H., Yagen, B., Woodhead, J.H., Bennett, G.D., Wilcox, K.S., Barton, M.E. and Bialer, M. Anticonvulsant profile and teratogenicity of N-methyl-tetramethylcyclopropyl carboxamide: A new antiepileptic drug. *Epilepsia*, 43(2):115-126, 2002.
70. Rho, J.M., Anderson, G.D., Donevan, S.D. and White, H.S. Acetoacetate, acetone, and dibenzylamine (a contaminant in 1-(+)-beta-hydroxybutyrate) exhibit direct anticonvulsant actions *in vivo*. *Epilepsia*, 43(4):358-361, 2002.
71. Walker, M.C., White, H.S. and Sander, J.W.A.S. Disease modification in partial epilepsy. *Brain*, 125:1937-1950, 2002.
72. White, H.S., Sarup, A., Bolvig, T., Kristensen, A.S., Petersen, G., Nelson, N., Pickering, D.S., Larsson, O.M., Frolund, B., Krogsgaard-Larsen, P. and Schousboe, A. Correlation between anticonvulsant activity and inhibitory action on glial GABA uptake of the highly selective mouse GAT1 inhibitor 3-hydroxy-r-amino-4,5,6,7-tetrahydro-1,2-benzisoxazole (*exo*-THPO) and its N-alkylated analogs. *J. Pharmacol. Exp. Ther.* (In Press) 2002.

CHAPTERS

1. White, H.S., Kemp, J.W. and Woodbury, D.M. The effect of central nervous system maturation on drug response. In: *Antiepileptic Drugs in Newborn, Infants, Children*

- and Adolescents*, edited by P.L. Morselli, C.E. Pippenger and J.K. Penry, pp. 13-35, Raven Press, New York, 1983.
2. White, H.S., Woodbury, D.M., Chen, C.F., Kemp, J.W., Chow, S.Y. and Yen-Chow, Y.C. Role of glial cation and anion transport mechanisms in etiology and arrest of seizures. In: *Advances in Neurology, Basic Mechanisms of the Epilepsies*, Vol.44, edited by A.V. Delgado-Escueta, A.A. Ward, D.M. Woodbury and R.J. Porter, pp. 695-712, Raven Press, New York, 1986.
 3. White, H.S., Honda, T., Chow, S.Y. and Woodbury, D.M. Distribution and regulation of hydrogen ion in astrocytes. In: *Astrocytes*, edited by S. Fedoroff and A. Vernadakis, pp. 239-251, Academic Press, 1986.
 4. Woodbury, D.M., Engstrom, F.L., McQueen, J.K., Anderson, R.E., White, H.S. and Yen-Chow, Y.C. Role of glial carbonic anhydrase in focal and generalized tonic-clonic seizures. In: *Dynamic Properties of Glial Cells II - Cellular and Molecular Aspects*, edited by T. Grisar, G. Franck, L. Hertz, W. Norton, M. Sensenbrenner and D.M. Woodbury, pp. 329-341, Pergamon Press, Oxford, England, 1986.
 5. White, H.S. and Woodbury, D.M. Electrophysiological and ionic transport properties of glial cells in culture. In: *Model Systems in Development and Aging of the Nervous System*, edited by A. Vernadakis, A. Privat, J. Lauder, P.S. Timiras and E. Giacobini, pp. 171-191, Martinus Nijhoff, Boston, 1987.
 6. White, H.S., Bender, A.S., Chow, S.Y., Woodbury, D.M. and Hertz, L. Effect of anti-convulsant drugs and pentylenetetrazol (PTZ) on potassium (K⁺) regulation of cultured astrocytes. In: *Biochemical Pathology of Astrocytes*, edited by M.D. Norenberg, L. Hertz and A. Schousboe, pp. 537-539, Alan Liss, New York, 1987.
 8. Swinyard, E.A., Woodhead, J.H., White, H.S. and Franklin, M.R. Experimental selection, quantification, and evaluation of anticonvulsants. In: *Antiepileptic Drugs, Third Edition*, edited by R. Levy, R. Mattson, B. Meldrum, J.K. Penry and F.E. Dreifuss, pp. 85-102, Raven Press, Ltd., New York, 1989.
 9. Hertz, L., Code, W., Shokeir, O., Shargool, M., Woodbury, D.M. and White, H.S. Calcium signaling in astrocytes. In: *Functions of Neuroglia*, edited by A.I. Roitbak, Netsniereba, USSR, 1991.
 10. White, H.S., Skeen, G.A. and Edwards, J.A. Pharmacological regulation of astrocytic calcium channels: Implications for the treatment of seizure disorders. In: *Progress in Brain Research, Neuronal-Astrocytic Interactions: Implications for Normal and Pathological CNS Function*, Vol. 94, edited by A.C.H. Yu, L. Hertz, M.D. Norenberg, E. Sykova and S.G. Waxman, pp. 77-87, Elsevier, Amsterdam, 1992.
 11. White, H.S., Skeen, G.A. and Edwards, J.A. Characterization of voltage-sensitive calcium channels of astrocytes using the fluorescent probe indo-1. In: *Drugs in Development*, Vol. 2., edited by A. Scriabine, R.A. Janis and D.J. Triggle, pp. 135-142, Neva Press, Branford, Connecticut, 1993.
 12. Baron, M.B., Kehne, J.H., Sorensen, S.M., Harrison, B.L., Salituro, F.G. and White, H.S. Design and pharmacological evaluation of highly selective glycine antagonists. In: *Direct and Allosteric Control of Glutamate Receptors*, edited by M.G. Palfreyman and I.J. Reynolds, pp. 105-117, CRC Press, Inc., Boca Ratan, 1994.
 13. White, H.S., Woodhead, J.H., Franklin, M.R., Swinyard, E.A. and Wolf, H.H. Experimental selection, quantification, and evaluation of anticonvulsants. In: *Antiepileptic Drugs, Fourth Edition*, edited by R. Levy, R. Mattson and B. Meldrum, pp. 99-110, Raven Press, New York, 1995.

14. Tolman, K.G., White, H.S. and Hanson, G.R. Diseases: Manifestations and Pathophysiology. In: *Remington: The Science and Practice of Pharmacy, Nineteenth Edition*, edited by A.R. Gennaro, pp. 655-696, Mack Publishing Co., Easton, Pennsylvania, 1995.
15. White, H.S. Skeletal muscle relaxants. In: *Remington: The Science and Practice of Pharmacy, Nineteenth Edition*, edited by A.R. Gennaro, pp. 1027-1038, Mack Publishing Co., Easton, Pennsylvania, 1995.
16. White, H.S. Antiepileptic drugs. In: *Remington: The Science and Practice of Pharmacy, Nineteenth Edition*, edited by A.R. Gennaro, pp. 1171-1179, Mack Publishing Co., Easton, Pennsylvania, 1995.
17. White, H.S. Histamine and antihistaminic drugs. In: *Remington: The Science and Practice of Pharmacy, Nineteenth Edition*, edited by A.R. Gennaro, pp. 1222-1230, Mack Publishing Co., Easton, Pennsylvania, 1995.
18. White, H.S. Parasiticides. In: *Remington: The Science and Practice of Pharmacy, Nineteenth Edition*, edited by A.R. Gennaro, pp. 1337-1342, Mack Publishing Co., Easton, Pennsylvania, 1995.
19. White, H.S. Mechanisms of antiepileptic drugs. In: *Epilepsies II*, edited by R.Porter and D. Chadwick, pp. 1-30, Butterworth-Heinemann Publ., Boston, MA, 1997.
20. Avoli, M., White, H.S., Zona, C. and Ragsdale, D. Sites of action for conventional and newer antiepileptic drugs: focus on valproate, lamotrigine and topiramate. In: *Molecular & Cellular Targets for Anti-epileptic Drugs*, edited by G. Avanzini, G. Regesta, P. Tanganelli, M. Avoli, pp. 195-205, John Libbey & Company Ltd., 1997.
21. White, H.S., Wolf, H.H., Woodhead, J.H. and Kupferberg, H.J. The National Institutes of Health Anticonvulsant Drug Development Program: screening for efficacy. In: *Antiepileptic Drug Development. Advances in Neurology*, Vol. 76, edited by J. French, I. Leppik, and M.A. Dichter, pp. 29-39, Lippincott-Raven Publishers, Philadelphia, 1998.
22. White, H.S. Skeletal muscle relaxants. In: *Remington: The Science and Practice of Pharmacy, 20th Edition*, edited by A.R. Gennaro, pp. 1333-1343, Lippincott Williams & Wilkins, Baltimore, Maryland, 2000.
22. White, H.S. Local Anesthetics. In: *Remington: The Science and Practice of Pharmacy, 20th Edition*, edited by A.R. Gennaro, pp. 1400-1406, Lippincott Williams & Wilkins, Baltimore, Maryland, 2000.
24. White, H.S. Sedative and hypnotic drugs. In: *Remington: The Science and Practice of Pharmacy, 20th Edition*, edited by A.R. Gennaro, pp. 1407-1420, Lippincott Williams & Wilkins, Baltimore, Maryland, 2000.
25. White, H.S. Antiepileptic drugs. In: *Remington: The Science and Practice of Pharmacy, 20th Edition*, edited by A.R. Gennaro, pp. 14021-1428, Lippincott Williams & Wilkins, Baltimore, Maryland, 2000.
26. White, H.S. Histamine and antihistaminic drugs. In: *Remington: The Science and Practice of Pharmacy, 20th Edition*, edited by A.R. Gennaro, pp. 1464-1470, Lippincott Williams & Wilkins, Baltimore, Maryland, 2000.
27. White, H.S. Parasiticides. In: *Remington: The Science and Practice of Pharmacy, 20th Edition*, edited by A.R. Gennaro, pp. 1562-1566, Lippincott Williams & Wilkins, Baltimore, Maryland, 2000.
28. White, H.S. Comparartive anticonvulsant profile and proposed mechanisms of action of the established and newer antiepileptic drugs. In: *Pediatric Epilepsy: Diagnosis and*

Therapy. 2nd edition. edited by: J.M. Pellock , W. E. Dodson, B.F.D. Bourgeois, pp 301-316, Demos Medical Publishing, Inc., New York, 2001.

PRELIMINARY REPORTS AND ABSTRACTS

1. White, H.S., Kemp, J.W., Chow, S.Y. and Woodbury, D.M. Quantification of neurons and glia in the rat cerebral cortex. *The Pharmacologist* 23:217 (#544), 1981.
2. White, H.S., Kemp, J.W., Chow, S.Y. and Woodbury, D.M. Role of bicarbonate stimulated ATPase (HCO₃⁻-ATPase) in anion transport. *Fed. Proc.* 414:1466 (#6991), 1982.
3. Johnson, J.D., White, H.S. and Isom, G.E. Cyclic AMP and central cardiovascular regulation. *The Pharmacologist* 24:156 (#345), 1982.
4. White, H.S., Anderson, R.E., Kemp, J.W. and Woodbury, D.M. Mechanism of action of phenytoin: Differential effect on neuronal and glial cell Na⁺, K⁺-ATPase. *Soc. Neurosci.* 9:1106 (#322.7), 1983.
5. White, H.S., Chen, C.F., Chow, S.Y., Kemp, J.W. and Woodbury, D.M. Biochemical effect of chronic administration of phenytoin. *Epilepsia* 24:255, 1983.
6. White, H.S., Kemp, J.W., Chow, S.Y., Yen-Chow, Y.C. and Woodbury, D.M. Effect of phenytoin on membrane potential and electrolyte concentration of glial cells in culture. *Epilepsia* 25:667, 1984.
7. White, H.S., Chow, S.Y., Yen-Chow, Y.C., Honda, T., Kemp, J.W. and Woodbury, D.M. Effects of rat brain extract on cultured glial cell anion and cation transport processes, transmembrane potential and intracellular pH. *J. Neurochem.* 44:S28B, 1985.
8. Chow, S.Y., White, H.S., Honda, T. and Woodbury, D.M. Anion transport in cultured glial cells as measured by radioiodide uptake. *J. Neurochem.* 44:S141B, 1985.
9. White, H.S., Chow, S.Y., Honda, T. and Woodbury, D.M. Intracellular pH of glial cells in culture. *Abstracts of Satellite Meeting of ISN, IDNA Symposium*, Crete, Greece, p. 56, 1985.
10. White, H.S. and Woodbury, D.M. Effects of convulsants and anticonvulsants on cation and anion transport processes of glial cells in culture. *Abstracts of Satellite Meeting of ISN, Biochemistry of Glial Cells*, Leige, Belgium, p. 57, 1985.
11. White, H.S., Chow, S.Y., Honda, T., Gehlert, D.R., McCabe, R.T., Wamsley, J.K. and Woodbury, D.M. Effects of daily maximal electroshock induced seizures (MES) and chronic pentylenetetrazol (PTZ) treatment on anion and cation transport and muscarinic and benzodiazepine (BZ) binding. *Soc. Neurosci.* 11:1325, 1985.
12. Honda, T., White, H.S., Chow, S.Y., Kemp, J.W. and Woodbury, D.M. The effects of ACTH and prednisolone on electroshock seizures, development, and brain water and electrolyte contents of newborn rats. *Soc. Neurosci.* 11:900, 1985.
13. White, H.S., Chow, S.Y., Yen-Chow, Y.C., Honda, T., Kemp, J.W. and Woodbury, D.M. Effects of rat brain extract on transmembrane potential, and electrolyte concentrations, pH and transport activities during maturation of glial cells in culture. *Int. Soc. for Developmental Neurosciences Meeting*, Queretaro, Mexico, 1986.
14. White, H.S., Reinhold, S., Chow, S.Y. and Woodbury, D.M. Effects of pentylenetetrazol (PTZ) on ion transport processes of astrocytes in primary culture. *Soc. Neurosci.* 13:195, 1987.
15. Bender, A.S., Woodbury, D.M. and White, H.S. Metabolic and ionic dependence of glutamate uptake into astrocytes in primary culture. *Trans. Am. Soc. Neurochem.* 19:172, 1988.

16. Singh, N.A., Swinyard, E.A. and White, H.S. Effect of prototype anticonvulsants on N-methyl-D-aspartate (NMDA)-induced seizures in mice, *FASEB J.* 2:A1068, 1988.
17. Singh, N.A., Swinyard, E.A. and White, H.S. Effect of prototype anticonvulsant agents on Quisqualic acid (QA)-induced seizures in mice. *Soc. Neurosci.* 14:240, 1988.
18. White, H.S., Bender, A.S., Woodbury, D.M. and Hertz, L. Effect of nimodipine on calcium (Ca^{2+}) uptake in astrocytes. *Soc. Neurosci.* 14:1056, 1988.
19. Bender, A.S., Hertz, L., Woodbury, D.M. and White, H.S. Potent modulation of potassium (K^+) uptake into astrocytes by protein kinase C (PKC). *Soc. Neurosci.* 14:1057, 1988.
20. Bender, A.S., Woodbury, D.M. and White, H.S. L-Glutamate and L-aspartate transport systems in astrocytes in primary cultures from Swiss-Webster, C57 and audiogenic seizure-susceptible DBA/2J mice. *J. Neurochem.* 52:S64, 1989.
21. Bender, A.S., Hertz, L., Woodbury, D.M. and White, H.S. Effects of benzodiazepines on calcium homeostasis of astrocytes. *Trans. Am. Soc. Neurochem.* 20:130, 1989.
22. White, H.S., Bender, A.S., Peeters, G.A. and Woodbury, D.M. Phenytoin blocks voltage-sensitive Ca^{2+} channels of cultured astrocytes. *Trans. Am. Soc. Neurochem.* 20:131, 1989.
23. Chow, S.Y., Yen-Chow, Y.C., White, H.S. and Woodbury, D.M. Iodide and chloride uptakes by primary cultures of mouse astrocytes and neurons. *Soc. Neurosci.* 15:78, 1989.
24. Baron, B.M., Harrison, B.L., McCarty, D.R., Miller, F.P., Schmidt, C.J., Slone, A.L. and White, H.S. Characterization of MDL 28,469 and MDL 29,695 as selective glycine antagonists with potent anticonvulsant activity. *Soc. Neurosci.* 15:204, 1989.
25. White, H.S., Singh, N.A. and Swinyard, E.A. Effect of Ca^{2+} -channel blockers on N-methyl-D-aspartate (NMDA)- and quisqualic acid (QA)-induced seizures. *Soc. Neurosci.* 15:215, 1989.
26. Bender, A.S., Woodbury, D.M. and White, H.S. Ionic dependence of [^3H]adenosine uptake into cultured astrocytes. *Soc. Neurosci.* 15:353, 1989.
27. Baron, B.M., Harrison, B.L., Kehne, J.H., Sorensen, S.M., Schmidt, C.J., Miller, F.P., White, H.S. and Palfreyman, M.G. Glycine is an obligatory cotransmitter at the NMDA receptor complex: Implications for new therapeutic agents. *Am. Col. Neuropsychopharmacol.* Maui, Dec. 10-16, 1989.
28. Code, W.E., White, H.S. and Hertz, L. Effect of the benzodiazepine midazolam on calcium signalling in astrocytes. *Soc. Neurosci.* 16:373 (#160.13), 1990.
29. Howell, M.C., Litzinger, M.J. and White, H.S. Calcium channel development in mammalian cortical cultured astrocytes. *Int. J. Dev. Neurosci.* 8(S1):146, 1990.
30. Code, W.E., Hertz, L. and White, H.S. Midazolam potently affects free calcium concentration in astrocytes. *Can. J. Anesthesia* 37:S27, 1990.
31. Code, W.E., White, H.S. and Hertz, L. The effect of midazolam on calcium signalling in astrocytes. Presented at the New York Acad. Sci. conference on "Cellular Mechanisms of Anesthesia and Alcohols," June 25-28, 1990.
32. White, H.S., Bunker, C.F., Gibb, J.W. and Hanson, G.R. Characterization of seizures induced by i.c.v. administration of cocaine, methamphetamine (METH) and 4-methylaminorex (4-MAX). *FASEB J.* 1990.
33. Howell, M.C., Litzinger, M.J. and White, H.S. [^3H]Nimodipine identifies a low affinity dihydropyridine binding site in developing cortical astrocytes. *Soc. Neurosci. Abstr.* 16:510, 1990.
34. Whitten, J.P., Baron, B.M., Muench, D.M., Slone, A.L., Siegel, B.W., Schmidt, C.J., White, H.S. and McDonald, I.A. Characterization of MDL 100,453, a new competitive

- antagonist of glutamate at the NMDA receptor complex. *Soc. Neurosci. Abstr.* 16:858, 1990.
35. Skeen, G., Woodhead, J., Wolf, H., Swinyard, E., Tietz, E. and White, S. Development of kindled seizures following electrical stimulation of the cornea. *Soc. Neurosci.* 16(1):307A (#138.1), 1990.
 36. Litzinger, M.J., Howell, M.C., Edwards, J.A. and White, H.S. Do anticonvulsants act on calcium channels of cultured cortical astrocytes? *Neurology* 51(S1):150 (#1285), 1991.
 37. Edwards J.A., Woodbury, D.M. and White, H.S. Anticonvulsants block voltage-gated Ca^{2+} channels of astrocytes. *Trans. Am. Soc. Neurochem.* 22:138 (#108), 1991.
 38. White, H.S., Skeen, G.A., Howell, M.C. and Litzinger, M.A. Astrocytes express a physiologically functional W-conotoxin binding site. *Trans. Am. Soc. Neurochem.* 22:101 (#33), 1991.
 39. Skeen, G.A., Wolf, H.H., Swinyard, E.A. and White, H.S. Flunarizine blocks KCl-induced Ca^{2+} influx into cerebellar granule cells through an effect on glutamate-gated Ca^{2+} channels. *Soc. Neurosci. Abstr.* 17:921 (#369.5), 1991.
 40. Howell, M.C., Litzinger, M.A., Skeen, G.A. and White H.S. Expression of [^{125}I]w-conotoxin-sensitive binding site in mouse cortical astrocytes. *Soc. Neurosci. Abstr.* 17:1161 (#462.7), 1991.
 41. Edwards, J.A., Woodbury, D.M. and White, H.S. Voltage-sensitive calcium channels of mouse cortical astrocytes are attenuated by prototype anticonvulsants. *Soc. Neurosci. Abstr.* 17:1257 (#497.9), 1991.
 42. Sivenius, J., White, H.S., Wolf, H.H. and Swinyard, E.A. Antiepileptogenic effect of vigabatrin in corneal kindled rats. *Epilepsia* 32:40, 1991.
 43. Skeen, G.A. and White, H.S. Voltage-sensitive calcium channel antagonists attenuate NMDA-evoked calcium influx. *Seizure* 1(SA):P3/17, 1992.
 44. White, H.S., Hunt, J., Skeen, G.A., Baron, B., Kehne, J., Whitten, J., Salituro, F., Harrison, B., MacDonald, I.A. and Palfreyman, M. The anticonvulsant action of strychnine-insensitive glycine antagonists is potentiated by probenecid. *Seizure* 1(SA):P7/57, 1992.
 45. Skeen, G.A. and White, H.S. NMDA-induced calcium transients are attenuated by voltage-sensitive calcium channel antagonists. *Soc. Neurosci. Abstr.* 18:432 (#188.5), 1992.
 46. Edwards, J.A. and White, H.S. Inhibition of guanylate cyclase by methylene blue increases $[Ca^{2+}]_i$ in mouse cortical astrocytes. *Soc. Neurosci. Abstr.* 18:812 (#341.15), 1992.
 47. White, H.S., Hunt, J., Wolf, H., Swinyard, E., Larson, O.M., Falch, E., Schousboe, A., and Krogsgaard-Larsen, P. Anticonvulsant activity of the GABA uptake inhibitor N-DPB-THPO. *Epilepsia* 33(3):116, 1992
 48. Brown, S.D., Wolf, H.H., Swinyard, E.A., Twyman, R.E. and White, H.S. The novel anticonvulsant topiramate enhances GABA-mediated chloride flux. *Epilepsia* 34(2):122, 1993.
 49. Harmsworth, W.L., Wolf, H.H., Swinyard, E.A. and White, H.S. Felbamate modulates glycine receptor function. *Epilepsia* 34(2):92, 1993.
 50. McCabe, R.T., Steiner, S.S., Sofia, R.D., Woodhead, J.H., Wolf, H.H., White, H.S., Huiling, L., Shen, G.S. and Rhodes, C.A. The antiepileptic and neuroprotectant compound felbamate: Intravenous delivery using a novel microspherical particle (TechnosphereTM) formulation. ACNP Meeting, San Juan, PR, Dec. 1994.
 51. Skeen, G.A., White, H.S. and Twyman, R.E. Nitrendipine reduces NMDA/glycine-evoked single-channel currents in cultured mouse neurons. *Soc. Neurosci. Abstr.* 19:719 (#296.18), 1993.

52. McCloskey, T.C., White, H.S., Baron, B.M., Senyah, Y., Slone, A.L., Siegel, B.W., Harrison, B.L., Salituro, F. and Kehne, J.H. Differential effects of antagonists at the strychnine-insensitive glycine receptor on anticonvulsant and anxiolytic tests. *Soc. Neurosci. Abstr.* 19:1134 (#467.2), 1993.
53. Filloux, F., Fitts, R.C., Skeen, G.A. and White, H.S. Nitrendipine displaces [³H] binding throughout mouse brain. *Soc. Neurosci. Abstr.* 19:719 (#296.17), 1993.
54. White, H.S., Brown, S.D., Wolf, H.H. and Twyman, R.E. The anticonvulsant topiramate potentiates GABA-evoked chloride current in mouse cortical neurons. *Epilepsia* 35(S8):67, 1994.
55. Williamson, J., Vargas, G., Wolf, H., White, S. and Lothman, E. Actions of felbamate against generalized and against partial seizures as studied with rapidly recurring kindled hippocampal seizures. *Epilepsia* 35(S8):68, 1994.
56. Edwards, J.A., Wolf, H.H. and White, H.S. Thapsigargin discharges intracellular Ca²⁺ ([Ca²⁺]_i) stores in mouse cortical astrocytes. *Soc. Neurosci. Abstr.* 20:1719 (#701.8), 1994.
57. Skeen, G.A., Twyman, R.E. and White, H.S. The dihydropyridine nitrendipine reduces N-methyl-D-aspartate- (NMDA) evoked single-channel activity by a mechanism consistent with open channel block. *Soc. Neurosci. Abstr.* 20:1143 (#470.5), 1994.
58. White, H.S., Wolf, H.H., Duquette, E., Gahring, L.C. and Rogers, S.W. Audiogenic seizure frequency contributes to an imbalance between GluR1, GluR2, and GluR3 subunits in the Frings audiogenic seizure susceptible mouse. *Soc. Neurosci. Abstr.* 20:739 (#310.17), 1994.
59. Kehne, J.H., Baron, B.M., Elands, J., Kane, J.M., Ogden, A.M., Rogers, C.J., Vargas, G., White, H.S., Wolf, H.H., Woodhead, J.H., McCloskey, T.C., Senyah, Y., Chaney, S.F. and Metcalf, G. MDL 27,192 5-(4-chlorophenyl)-2,4-dihydro-4-ethyl-3H-1,2,4-triazol-3-one, a potential broad-spectrum anticonvulsant. *Soc. Neurosci. Abstr.* 21:202 (#84.7), 1995.
60. Rundfeldt, C., Tober, C., Ganguly, A., Wolf, H.H. and White, H.S. Potassium channel opening properties of D-23129, an anticonvulsant with potent effects in rodent models for generalised and focal seizures. *Soc. Neurosci. Abstr.* 21:203 (#84.13), 1995.
61. Skeen, G.A., Wolf, H.H. and White, H.S. D-23129 attenuates glutamate-evoked whole-cell currents of mouse cortical neurons through an interaction with kainate-sensitive ion channels. *Soc. Neurosci. Abstr.* 21:353 (#145.22), 1995.
62. Baron, B.M., Siegel, B.W., Harrison, B.L., Kehne, J.H., McCloskey, T.C., Schmidt, C.J., Taylor, V.L., Fadayel, G.M., Murawsky, M.K., van Giersbergen, P.L.M., White, H.S. and Salituro, F.G. Pharmacological characterization of MDL 105,519, a systemically active antagonist of the NMDA receptor-associated glycine recognition site. *Soc. Neurosci. Abstr.* 21:1106 (#436.9), 1995.
63. Skradski, S.L., Jackson, L.K., Wolf, H.H., White, H.S. and Gahring, L.C. Induction of interleukin-1 α in the hypothalamus of the Frings audiogenic seizure susceptible mouse. *Soc. Neurosci. Abstr.* 21:1962 (#768.18), 1995.
64. Wolf, H.H., White, H.S., Woodhead, J.H., Rogers, C.J., Ogden, A.M., Kane, J.M., Kehne, J.H. and Metcalf, G. Anticonvulsant profile and mechanism of action of the novel anticonvulsant MDL 27,192 (5-(4-chlorophenyl)-2,4-dihydro-4-ethyl-3H-1,2,4-triazol-3-one). *Epilepsia* 36:S37, 1995.
65. White, H.S., Brown, D., Skeen, G.A., Wolf, H.H. and Twyman, R.E. The anticonvulsant topiramate displays a unique ability to potentiate GABA-evoked chloride currents. *Epilepsia* 36:S39, 1995.

66. White, H.S., Brown, D., Skeen, G.A. and Twyman, R.E. The investigational anticonvulsant topiramate potentiates GABA-evoked currents in mouse cortical neurons. *Epilepsia* 36(4):34, 1995.
67. Ganguly, A., Wolf, H.H. and White, H.S. Investigational anticonvulsant D-23129 inhibits limbic behavioral seizures in hippocampal kindled rats. *Epilepsia* 36(4):49, 1995.
68. White, H.S., Artman, L.D., DelMar, E.F., VanWagenen, B.C., Moe, S.T. and Mueller, A.L. Anticonvulsant activity of polyamine spider toxins and synthetic analogues in Frings audiogenic seizure-susceptible mice. *Epilepsia* 36:S214, 1995.
69. Skeen, G.A., Wolf, H.H. and White, H.S. AWD 131-138 enhances GABA-evoked whole-cell currents of mouse cortical neurons. *Epilepsia* 36(4):50, 1995.
70. Kehne, J.H., Baron, B.M., Elands, J., Kane, J.M., Vargas, G., Wolf, H.H., Woodhead, J.H., McCloskey, T.C., Senyah, Y., Chaney, S.F. and White, H.S. MDL 27,192 5-(4-chlorophenyl)-2,4-dihydro-4-ethyl-3H-1,2,4-triazol-3-one, a potential broad-spectrum anticonvulsant. IBC's International Conference on Epilepsy, January, 1996.
71. Le, H.T., Clikeman, J.A., White, H.S. and Callahan, K.S. TNF α and IL-1 α induce tissue factor mRNA expression in two human astrocyte cell lines, CCF STTG-1 and U373 MG. *Exper. Biol.* 1996.
72. Skeen, G.A., Franklin, M.R., Woodhead, J.H., White, H.S. and Wolf, H.H. Gender and the stage of estrus influence the anticonvulsant efficacy of carbamazepine. *Epilepsia* 37:S5, 1996.
73. White, H.S., Woodhead, J. and Wolf, H.H. Effect of topiramate (TPM) on pentylenetetrazol (PTZ) seizure threshold. *Epilepsia* 37:S5, 1996.
74. Carter, R.B., Yang, K.C., Robledo, S., Suruki, M., White, H.S. and Upasani, R.B. Characterization of the anticonvulsant properties of Co 2-1068, a novel neuroactive steroid modulator of the GABA_A receptor. *Soc. Neurosci. Abstr.* 22:2105 (#824.6), 1996.
75. Chien, Y., Raszkiewicz, J.L., Draper, S., White, H.S. and Mueller, A.L. Neuroprotectant and anticonvulsant properties of NPS 846-HCl, a novel NMDA receptor antagonist. *Soc. Neurosci. Abstr.* 22:1282 (#508.10), 1996.
76. White, H.S. and Skradski, S. The novel antiepileptic drug topiramate (TPM) blocks kainate-evoked cobalt influx into cultured neurons. *Epilepsia* 38(3):144, 1997.
77. Mclean, M., White, H.S., Holcomb, R.R. and Thomas, R.M. A static magnetic field protects against audiogenic seizures. *Epilepsia* 38(3):186, 1997.
78. McCabe, R. T., Olivera, B.M., Jimenez, E., Cruz, L.J., Zhou, L.M. and White, H.S. Anticonvulsant profile of conantokin-R: a novel and selective antagonist at the NMDAR1-1b/NR2b subunit. *Epilepsia* 38(3):220, 1997.
79. Carter, R.B., Vanover, K.E., White, H.S., Wolf, H.H., Puthucode, R.N. and Dimmock, J.R. Characterization of the anticonvulsant properties of Co 102862, a novel blocker of voltage-gated sodium channels. *Soc. Neurosci. Abstr.* 23:2163 (#840.9), 1997.
80. Skradski, S.L., White, H.S. and Ptacek, L.J. Linkage analysis of audiogenic seizure-susceptibility in the Frings mouse. *Soc. Neurosci. Abstr.* 23:810 (#317.3), 1997.
81. White, H.S., McCabe, R.T., Abogadie, F.C., Torres, J., Rivier, J.E., Paarmann, I., Hollmann, M., Olivera, B.M. and Cruz, L.J. Conantokin-R, a subtype-selective NMDA receptor antagonist and potent anticonvulsant peptide. *Soc. Neurosci. Abstr.* 23:2164 (#840.13), 1997.
82. Barton, M.E. and White, H.S. The effects of cyclothiazide on seizure threshold. *Soc. Neurosci. Abstr.* 23:2422 (#941.12), 1997.

83. Skradski, S.L., White, H.S., Ptacek, L.J. Physical mapping of *MASS1* and analysis of candidate genes for audiogenic seizures in Frings mice. *Soc. Neurosci. Abstr.* 24:715 (#279.12), 1998.
84. Friedman, J.E., Armstrong, H. and White, H.S. DP-VPA, an activity-dependent prodrug of valproate, displays enhanced protection in genetically epilepsy-prone mice. *Soc. Neurosci. Abstr.* 24:1258 (#498.4), 1998.
85. Brown, J.M., White, H.S., Donevan, S.D. and Keefe, K.A. Kindling-induced changes in kainate receptor subunit expression. *Soc. Neurosci. Abstr.* 24:2138 (#850.3), 1998.
86. Barton, M.E., Yang, K.C., Upasani, R.B., Carter, R.B. and White, H.S. Effect of 3 β -chloroethynyn-substituted neuroactive steroids in two kindled rat models of partial seizures. *Epilepsia* 39(S6):9, 1998.
87. Armstrong, H., Zhou, L.M., Layer, R.T., Nielson, J.S., McCabe, T. and White, H.S. Anticonvulsant profile of conantokin-G (Con-G): A novel, broad-spectrum NMDA antagonist. *Epilepsia* 39(S6):39, 1998.
88. Olivera, B.M., McIntosh, J.M., Layer, R., McCabe, T., Zhou, L-M. and White, H.S. Learning neuropharmacological strategies from venomous cone snails. From Venoms to Drugs. Heron Island, Great Barrier Reef, Australia, August 16-21, 1998.
89. Friedman, J.E., Schatz, G., Armstrong, H., White, H.S. and Wolf, H.H. DP-VPA, an efficacious, activity-dependent prodrug of VPA. *Epilepsia* 39(S6):41, 1998.
90. White, H.S., Simeone, T. and Twyman, R.E. The ability of topiramate to enhance GABA-evoked currents in *Xenopus* Oocytes is modulated by GAV_A receptor subunit expression. *Epilepsia* 40(S2):129, 1999.
91. Friedman, J.E., White, H.S., Barton, M., Wolf, H.H. and Kozak, A. DP-VPA, a demand-regulated, highly efficacious prodrug of valproate. *Epilepsia* 40(S2):257, 1999.
92. Barton, M.E., McCabe, Y., Zhou, L.M. and White, H.S. The effect of conantokin G on amygdala kindling acquisition. *Epilepsia* 40(S7):23, 1999.
93. White, H.S., Armstrong, H., Barton, M. and Artman, L.D. Anticonvulsant profile of NPS 1776: a broad-spectrum antiepileptic drug. *Epilepsia* 40(S7):28, 1999.
94. Friedman, J.E., White, H.S., Barton, M.E., Wolf, H.H. and Kozak, A. DP-VPA, a prodrug of valproate, is demand-regulated by audiogenic stimuli in the seizure-prone Frings mouse. *Epilepsia* 40(S7):157, 1999.
95. Donevan, S.D., White, H.S., Anderson, G.D. and Rho, J.M. Dibenzylamine, a contaminant in L-(+)- β -Hydroxybutyrate, exhibits anticonvulsant actions via blockade of N-methyl-D-aspartate receptors. *Epilepsia* 40(S7):160, 1999.
96. Skradski, S.L., White, H.S. and Ptacek, L.J. Physical mapping of *MASS1* audiogenic seizures in Frings mice. *Epilepsia* 40(S7):234, 1999.
97. Friedman, J.E., White, H.S., Barton, M., Wolf, H.H. and Kozak, A. DP-VPA, a demand-regulated prodrug of valproate, in the seizure-prone Frings mouse. *Soc. Neurosci. Abstr.* 25:1867 (#744.1), 1999.
98. Skradski, S.L., White, H.S. and Ptacek, L.J. Physical mapping of *MASS1* audiogenic seizures in Frings mice. *Soc. Neurosci. Abstr.* 25:1114 (#453.12), 1999.
99. Barton, M.E., Wolf, H.H. and White, H.S. Characterization of a phenytoin-resistant mouse seizure model. *Soc. Neurosci. Abstr.* 25:1115 (#453.18), 1999.
100. Lorenzo, N., Klein, B.K., White, H.S. and Callahan, K.S. Signaling pathway regulation of tissue factor in primary astrocytes and in astrocytoma cells. *XVIIth Congress International Soc. Thrombosis & Haemostasis*, Washington, DC, August 14-21, 1999.

101. Simeone, T.A., McClellan, A.M.L., Wilcox, K.S., Twyman, R.E. and White, H.S. Topiramate potentiates the recombinant $\alpha 2\beta 2\gamma 2S$ GABA_A receptor mediated chloride current. *Soc. Neurosci. Abstr.* 25:1223 (#491.8), 1999.
102. Tober, C., Rostock, A., White, H.S., Wolf, H.H. and Bartsch, R. Anticonvulsant activity of AWD 131-138 in genetic animal models of epilepsy. *Arch. Pharmacol.* 359(3):R97 (#375), 1999.
103. Vartanian, M.G., Barton, M.E., Boxer, P.A. and White, H.S. The anticonvulsant profile of CI-1041, a novel NR1/NR2B subtype selective NMDA antagonist. *Soc. Neurosci. Abstr.* 26:1411 (#528.16), 2000.
104. Skradski, S.L., Whie, H.S., Fu, Y.-H. and Ptacek, L.J. Characterization of the novel *MASS1* gene and protein associated with audiogenic seizures in Frings mice. *Soc. Neurosci. Abstr.* 26:227 (#81.17), 2000.
105. Klein, B.D., Ptacek, L.J. and White, H.S. c-Fos immunohistochemistry mapping of seizure activity in the audiogenic seizure-susceptible Frings mouse. *Soc. Neurosci. Abstr.* 26:227 (#81.18), 2000.
106. Simeone, T.A., McClellan, A.M.L., Twyman, R.E. and White, H.S. Direct activation of the recombinant $\alpha 2\beta 2\gamma 2S$ GABA_A receptor by the novel anticonvulsant topiramate. *Soc. Neurosci. Abstr.* 26:631 (#237.7), 2000
107. Klein, B.D., Barton, M.E. and White, H.S. c-Fos immunohistochemistry mapping of seizure activity in the 6 Hz psychomotor seizure model of partial epilepsy. *Epilepsia* 41(S7):52, 2000.
108. Isoherranen, N., White, H.S., Finnell, R.H., Yagen, B., Woodhead, J.H., Bennett, G.D., Barton, M. and Bialer, M. Antiepileptic activity and teratogenicity of N-methyl tetramethylcyclopropyl carboxamide. *Ther. Drug Monit.* 23(4):492 (#146), 2001.
109. Barton, M.E., McCabe, T., White, H.S. and Wilcox, K.S. The effect of CGX-1007, an NR2B subunit-selective antagonist, on N-Methyl-D-aspartate (NMDA)-mediated excitatory postsynaptic currents (EPSCs). *Epilepsia* 42(S7):4 (#1.002), 2001.
110. Simeone, T.A. and White, H.S. Dibutyryl-cyclic adenosine monophosphate (Camp) attenuates the actions of topiramate on recombinant $\alpha 2\beta 3\gamma 2s$ γ -aminobutyric acid (GABA)_A receptors expressed in *Xenopus* oocytes. *Epilepsia* 42(S7):14 (#1.036), 2001.
111. Klein, B.D., Barton, M.E., Wolf, H.H. and White, H.S. Pharmacologic effects of antiepileptic drug (AED) treatment on c-Fos immunoreactivity in the 6-Hz psychomotor seizure model of partial epilepsy. *Epilepsia* 42(S7):127 (#2.071), 2001.
112. Isoherranen, N. White, H.S., Finnell, R.H., Woodhead, J.H., Bennett, G.D. and Bialer, M. Anticonvulsant activity and teratogenicity of valroceamide (TV1901). *Epilepsia* 42(S7):212 (#F.04), 2001.
113. Frankel, W.N., Taylor, L, Beyer, B and White S. Mutation screene for mouse models with altered electroconvulsive threshold. *Epilepsia* 42(S7):226 (#3.023), 2001.
114. Simeone, T.A., McClellan, A.M.L. and White, H.S. Effects of anticonvulsants on homomeric GABA_A receptors comprised of $\beta 1$ - or $\beta 3$ -subunits. *Soc. Neurosci. Abstr.*, Vol. 27, Abstract No. 35.10, 2001.
115. Frankel, W.N., Beyer, B., Taylor, L. and White, H.S. Electroconvulsive thresholds and antiepileptic drug responses for mouse mutants and strains. *Soc. Neurosci. Abstr.*, Vol. 27, Abstract No. 350.5, 2001.
116. Klein, B.D., Ptacek, L.J., Fu, Y.H. and White, H.S. c-Fos immunoreactive responses in the inferior colliculus of audiogenic seizure-susceptible Frings mice following acoustic stimulation. *Soc. Neurosci. Abstr.*, Vol. 27, Abstract No. 553.10, 2001.